

SAFETY DATA SHEET

BEESWAX POLISH ANTIQUE

INTERIOR USE

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.
Unique Formula Identifier (UFI):	Y420-H0XM-E00J-XSYC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s):	PC9a Coatings and paints, thinners, paint removers
Uses Advised Against:	Not known.

1.3 Details of the supplier of the safety data sheet

Sarsen Stone Group, Stonebridge House, Nursteed Road, Devizes, Wiltshire, SN10 3DY
Email: info@sarsenstonegroup.com

1.4 Emergency telephone number

Emergency number:	+44 (0) 1380 720007 (Office hours only 9am - 5pm Mon- Fri.)
National Response Center:	NHS Direct +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP]
Flam.Sol. 2 Flammable

STOT SE 3:	May cause drowsiness or dizziness.
STOT RE 1:	Causes damage to organs through prolonged or repeated exposure.
Aquatic Chronic 2:	Toxic to aquatic life with long lasting effects.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name:

Beeswax Polish Antique

Hazard Pictogram(s):



GHS02

GHS08

GHS07

GHS09

Signal Word(s):

Danger

Hazard Statement(s):

H228: Flammable solid.

H336: May cause drowsiness or dizziness.

H372: Causes damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment.

P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI):

Y420-H0XM-E00J-XSYC

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

3.2 Mixtures

Hazardous Ingredient(s)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		920-750-0 01-2119473851-33	30-60	Flam. Liq. 2 H225 Asp. Tox. 1 H304 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		919-446-0 01-2119458049-33-xxxx	5-20	Flam. Liq. 3 H226 Asp. Tox. 1 H304 STOT SE 3 H336 STOT RE 1 H372 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation:	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.
Skin Contact:	Get medical advice/attention if you feel unwell.
Eye Contact:	Get medical advice/attention if you feel unwell.
Ingestion:	Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Call a POISON CENTRE/doctor if you feel unwell. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media:	Use water spray, dry powder or carbon dioxide to extinguish.
Unsuitable extinguishing media:	None.

5.2 Special hazards arising from the substance or mixture

Flammable solid. Combustion or thermal decomposition will evolve toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

6.4 Reference to other sections

See also section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Storage temperature:	Ambient.
Storage life:	Stable under normal conditions.
Incompatible materials:	None known.

7.3 Specific end use(s)

PC9a Coatings and paints, thinners, paint removers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

No Occupational Exposure Limit assigned.

8.2 Exposure controls

Appropriate engineering controls

Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

Personal protection equipment

Eye Protection:

Wear eye protection with side protection (EN166).

Skin protection:

Wear protective clothing and gloves: Impervious gloves (EN 374).

Respiratory protection:

A suitable dust mask or dust respirator with filter type P (EN143 or EN405) may be appropriate.

Personal protective equipment symbol(s):



Thermal hazards

None known.

Environmental Exposure Controls :

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state:	Solid.
Colour:	Not known.
Odour:	Aromatic odour.
Melting point/freezing point:	50 Melting Point (°C)
Boiling point or initial boiling point and boiling range:	Not applicable.
Flammability:	17 °C
Lower and upper explosion limit:	Not known.
Flash Point:	Not applicable.
Auto-ignition temperature:	Not known.
Decomposition Temperature:	Not known.
pH:	Not known.
Kinematic Viscosity:	Not known.
Solubility	Solubility (Water) : Insoluble in water. Solubility (Other) : Not known.
Partition coefficient n- octanol/water (log value):	Not known.
Vapour pressure:	Not known.
Density and/or relative density:	Relative density: 0.8 g/ml
Relative vapour density:	Not known.
Particle characteristics:	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion:	Calculation method: Not classified.
Acute toxicity - Skin Contact:	Calculation method: Not classified.
Acute toxicity - Inhalatio:	Calculation method: Not classified.
Skin corrosion/irritation:	Calculation method: Not classified.
Serious eye damage/irritation:	Calculation method: Not classified.
Skin sensitization data:	Calculation method: Not classified.
Respiratory sensitization data:	Calculation method: Not classified.
Germ cell mutagenicity:	Calculation method: Not classified.
Carcinogenicity:	Calculation method: Not classified.
Reproductive toxicity:	Calculation method: Not classified.
Lactation:	Calculation method: Not classified.
STOT - single exposure:	Calculation method: May cause drowsiness or dizziness.
STOT - repeated exposure:	Calculation method: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard:	Self classification: Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates:	Not known.
Toxicity - Fish:	Not known.
Toxicity - Algae:	Not known.
Toxicity - Sediment Compartment:	Not classified.
Toxicity - Terrestrial Compartment:	Not classified.

12.2 Persistence and degradability

Not known.

Bioaccumulative potential:	Not known.
Mobility in soil:	Not known.
Results of PBT and vPvB assessment:	Not known.
Endocrine disrupting properties:	None known
Other adverse effects:	Not known.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

UN No: 1263

14.2 UN proper shipping name

UN proper shipping name PAINT RELATED MATERIAL

14.3 Transport hazard class(es) ADR/RID

ADR/RID

ADR/RID Class:	3
ADR Classification Code:	F1
Special Provisions:	163 367 650
Limited Quantities:	5 L
Excepted Quantities:	E1
Emergency Action Code:	•3Y
Mixed Packing Instructions for Packages:	P001 IBC03 LP01 R001 PP1
Special Packing Provisions for Packages:	PP1
Mixed Packing Instructions for Packages:	MP19
Packing Instructions for Portable Tanks:	T2
Special Provisions for Portable Tanks:	TP1 TP29
Tank Code for Tanks:	LGBF
Special Provisions for Tanks:	
Vehicle for Tank Carriage:FL	
ADR Transport Category:	3
Tunnel Restriction Code:	D/E
Special Provisions for Carriage – Packages:	VI2
Special Provisions for Carriage – Bulk:	
Special Provisions for Carriage – Loading, Unloading and Handling:	
Special Provisions for Carriage – Operation:	S2
ADR HIN	

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

IMDG

IMDG Class:	3
Special Provisions:	163 367 650
Limited Quantities:	5 L
Excepted Quantities:	E1
Mixed Packing Instructions for Packages:	P001 IBC03 LP01 R001
Special Packing Provisions for Packages:	PP1
Packing Instructions for Portable Tanks:	T2
Special Provisions for Portable Tanks:	TP1 TP29
IMDG EMS:	F-E, S-E
Stowage and Handling:	Category A
Segregation	
Marine Pollutant	

ICAO/IATA

IATA Proper Shipping Name:	PAINT RELATED MATERIAL
Excepted Quantities:	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions:	Y344
Passenger and Cargo Aircraft Limited Quantities Max net Qty:	10L
Passenger and Cargo Aircraft Packing Instructions:	355
Passenger and Cargo Aircraft Max net Qty:	60L
Cargo Aircraft Packing Instructions:	366
Cargo Aircraft Max net Qty:	220L
Special Provisions:	A3, A72, A192
Emergency Response Guidebook (ERG) Code:	3L

Labels

Labels: 3



14.4 Packing group

Packing group: III

14.5 Environmental hazards

Environmental hazards: Classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user: Not known.

14.7 Maritime transport in bulk according to IMO instruments

No information available.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations – Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation:	Not Listed
REACH: ANNEX XIV list of substances subject to authorisation:	Not Listed
REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics (), Hydrocarbons, C9-C12, n- alkanes, isoalkanes, cyclics, aromatics (2-25%) ()
Community Rolling Action Plan (CoRAP):	Not Listed
Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants:	Not Listed
Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer:	Not Listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals:	Not Listed
National regulations	
Other:	Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements;

Legend

Hazard Pictogram(s):



GHS02

GHS08

GHS07

GHS09

Hazard classification:

Flam. Liq. 2 : Flammable liquid, Category 2
 Flam. Liq. 3 : Flammable liquid, Category 3
 Flam. Sol. 2 : Flammable solid, Category 2
 Asp. Tox. 1 : Aspiration hazard, Category 1
 STOT SE 3 : Specific target organ toxicity – single exposure, Category 3
 STOT RE 1 : Specific target organ toxicity – repeated exposure, Category 1
 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s):

H225: Highly flammable liquid and vapour.
 H226: Flammable liquid and vapour.
 H228: Flammable solid.
 H304: May be fatal if swallowed and enters airways. H336: May cause drowsiness or dizziness.
 H372: Causes damage to organs through prolonged or repeated exposure.
 H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P240: Ground and bond container and receiving equipment.
 P241: Use explosion-proof electrical/ventilating/lighting/equipment.
 P260: Do not breathe dust/fume/gas/mist/vapours/spray.
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264: Wash hands and exposed skin thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P271: Use only outdoors or in a well-ventilated area.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312: Call a POISON CENTRE/doctor if you feel unwell. P314: Get medical advice/attention if you feel unwell.
 P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.
 P391: Collect spillage.
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
 P501: Dispose of contents in accordance with local, state or national legislation.

BEESWAX POLISH ANTIQUE SAFETY DATA SHEET

Acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL	Derived No Effect Level
EC	EC European Community
EINECS	European Inventory of Existing Commercial Chemical Substances
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
LTEL	Long term exposure limit
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL	Short term exposure limit
STOT	Specific Target Organ Toxicity
UN	United Nations
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS: Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Flag Paints Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Flag Paints Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.