

SAFETY DATA SHEET

DEEP CLEAN
INTERIOR USE

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 13/10/2016 Revision date: 28/10/2020 Supersedes version of: 13/10/2016 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form: Mixture
Product name: Sarsen Home Deep Clean

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Intended for general public
Main use category: Consumer use, Professional use
Use of the substance/mixture: Cleaning/washing agents and additives

1.2.3 Uses advised against

No additional information available

1.3 Details of the supplier of the safety data sheet

Sarsen Stone Group, Stonebridge House, Nursteed Road, Devizes, Wiltshire, SN10 3DY
Email: info@sarsenstonegroup.com

1.4 Emergency telephone number

Emergency number: +44 (0) 1380 720007 (Office hours only 9am - 5pm Mon- Fri.)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2: H315
Serious eye damage/eye irritation, Category 2: H319
Full text of H statements: See section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation.

DEEP CLEAN SAFETY DATA SHEET

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



Signal word (CLP):

GHS07

Hazard statements (CLP):

Warning

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements (CLP):

P102 - Keep out of reach of children.

P405 - Store locked up.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P404 - Store in a closed container.

P501 - Dispose of contents, container to a hazardous or special waste collection point.

Child-resistant fastening:

Not applicable

Tactile warning:

Not applicable

2.3. Other hazards

No additional information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------------------------|--------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------|
| 2-butoxyethanol | (CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0 (REACH-no) 01-2119475108-36 | ≥ 5 - < 10 | Acute Tox. 4 (Inhalation), H332Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319Skin Irrit. 2, H315 |
| Tetrapotassium pyrophosphate | (CAS-No.) 7320-34-5 (EC-No.) 230-785-7 | ≥ 1 - < 3 | Eye Irrit. 2, H319 |
| Alcohols, C9-11 ethoxylated, < 2.5 EO | (CAS-No.) 68439-46-3 (EC-No.) 614-482-0 | ≥ 1 | Eye Dam. 1, H318 |
| ammonia% | (CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (EC Index-No.) 007-001-01-2 | ≥ 1 - < 3 | Skin Corr. 1B, H314 Aquatic Acute 1, H400 |

DEEP CLEAN SAFETY DATA SHEET

| Specific concentration limits: | | |
|--------------------------------|--------------------------------------------------------------------------|-------------------------------|
| Name | Product identifier | Specific concentration limits |
| ammonia% | (CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (EC Index-No.) 007-001-01-2 | (5 ≤C ≤ 100) STOT SE 3, H335 |

Full text of H-statements: See section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures after inhalation: | Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact: | Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. |
| First-aid measures after eye contact: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion: | Call a poison centre or a doctor if you feel unwell. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|--------------------------------------|-----------------|
| Symptoms/effects after skin contact: | Irritation. |
| Symptoms/effects after eye contact: | Eye irritation. |

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam. Carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire: Toxic fumes may be released.

5.3 Advice for firefighters

Protection during firefighting: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Emergency procedures: Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2 For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

DEEP CLEAN SAFETY DATA SHEET

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up: Take up liquid spill into absorbent material.
Other information: Dispose of materials or solid residues at an authorised site.

6.4 Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a well-ventilated place. Keep cool.

7. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

2-butoxyethanol (111-76-2)

United Kingdom - Occupational Exposure Limits

| | |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Local name | 2-Butoxyethanol |
| WEL TWA (mg/m ³) | 123 mg/m ³ |
| WEL TWA (ppm) | 25 ppm |
| WEL STEL (mg/m ³) | 246 mg/m ³ |
| WEL STEL (OEL STEL) [ppm] | 50 ppm |
| Remark (WEL) | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

United Kingdom - Biological limit values

| | |
|----------------------|--------------------------------------------------------------------------------------------------|
| Local name | 2-Butoxyethanol |
| United Kingdom (BEI) | 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

DEEP CLEAN SAFETY DATA SHEET

8.2 Exposure controls

| | |
|------------------------------------------|--------------------------------------------------------------------------|
| Appropriate engineering controls: | Ensure good ventilation of the work station. |
| Hand protection: | Protective gloves |
| Eye protection: | Safety glasses |
| Skin and body protection: | Wear suitable protective clothing |
| Respiratory protection: | In case of insufficient ventilation, wear suitable respiratory equipment |
| Personal protective equipment symbol(s): | |



| | |
|----------------------------------|-----------------------------------|
| Environmental exposure controls: | Avoid release to the environment. |
|----------------------------------|-----------------------------------|

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--------------------------------------------------|----------------------|
| Physical state: | Liquid |
| Colour: | Colourless. |
| Odour: | Characteristic. |
| Odour threshold: | No data available |
| pH: | 8 – 9 |
| Relative evaporation rate (butylacetate=1): | No data available |
| Melting point: | Not applicable |
| Freezing point: | No data available |
| Boiling point: | 100 °C |
| Flash point: | No data available |
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| Flammability (solid, gas): | Not applicable |
| Vapour pressure: | No data available |
| Relative vapour density at 20 °C: | No data available |
| Relative density: | 1 – 1.05 |
| Solubility: | Completely miscible. |
| Partition coefficient n-octanol/water (Log Pow): | No data available |
| Viscosity, kinematic: | No data available |
| Viscosity, dynamic: | No data available |
| Explosive properties: | No data available |
| Oxidising properties: | No data available |
| Explosive limits: | No data available |

9.2 Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

DEEP CLEAN SAFETY DATA SHEET

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

No additional information available.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION II: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral): Not classified

Acute toxicity (dermal): Not classified

Acute toxicity (inhalation): Not classified

ammonia% (1336-21-6)

| | |
|---------------|--------------------------|
| LD50 oral rat | > 350 mg/kg Source: HSDB |
|---------------|--------------------------|

2-butoxyethanol (111-76-2)

| | |
|---------------|-------------------------------------------------------------------------------------------------------------------------------|
| LD50 oral rat | 1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301 |
|---------------|-------------------------------------------------------------------------------------------------------------------------------|

| | |
|-----------|--------------------------------------------------------------------------------------------------------------------|
| LD50 oral | 1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961 |
|-----------|--------------------------------------------------------------------------------------------------------------------|

| | |
|-----------------|--------------------------------------------------------------------------------------------|
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|-----------------|--------------------------------------------------------------------------------------------|

Alcohols, C9-11 ethoxylated, < 2.5 EO (68439-46-3)

| | |
|-----------------|--------------------------------------------------------------------------------------------|
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|-----------------|--------------------------------------------------------------------------------------------|

| | |
|-----------------------|---------------------------------------------------------------------------------------|
| LC50 Inhalation - Rat | > 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
|-----------------------|---------------------------------------------------------------------------------------|

Tetrapotassium pyrophosphate (7320-34-5)

| | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LD50 dermal rabbit | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:FMC Non-Definitive Dermal Toxicity Protocol (Number 7), Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LC50 Inhalation - Rat | > 1.1 mg/l air Animal: rat, Guideline: other:FMC Acute Inhalation Toxicity Protocol Number 27, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:US EPA Toxic Substances Health Effect Test Guidelines, October, 1984; (PB82-232984) Acute Inhalation Toxicity Study., Guideline: other:Commission of the European Communities, Council Directive 67/548/EEC, Annex V, Part B.2.; May 1, 1987, Guideline: other:US EPA Pesticide Assessment Guidelines: Subdivision F, Hazard Evaluation: Human and Domestic Animals, Nov, 1984; 81-3 Acute Inhalation Study |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

DEEP CLEAN SAFETY DATA SHEET

| | |
|------------------------------------|------------------------------------------|
| Skin corrosion/irritation: | Causes skin irritation. pH: 8 – 9 |
| Serious eye damage/irritation: | Causes serious eye irritation. pH: 8 – 9 |
| Respiratory or skin sensitisation: | Not classified |
| Germ cell mutagenicity: | Not classified |
| Carcinogenicity: | Not classified |

2-butoxyethanol (111-76-2)

| | |
|------------|----------------------|
| IARC group | 3 - Not classifiable |
|------------|----------------------|

| | |
|-------------------------|----------------|
| Reproductive toxicity: | Not classified |
| STOT-single exposure: | Not classified |
| STOT-repeated exposure: | Not classified |

2-butoxyethanol (111-76-2)

| | |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------|
| NOAEL (dermal, rat/rabbit, 90 days) | > 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (SubchronicDermal Toxicity: 90-Day Study) |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------|

Alcohols, C9-11 ethoxylated, < 2.5 EO (68439-46-3)

| | |
|----------------------------|-------------------------------------------------------------------------------------------------------------------|
| NOAEL (oral, rat, 90 days) | ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
|----------------------------|-------------------------------------------------------------------------------------------------------------------|

Tetrapotassium pyrophosphate (7320-34-5)

| | |
|----------------------------|-----------------------------------------------------------------------------------------------------------------|
| NOAEL (oral, rat, 90 days) | 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
|----------------------------|-----------------------------------------------------------------------------------------------------------------|

| | |
|--------------------|----------------|
| Aspiration hazard: | Not classified |
|--------------------|----------------|

SECTION 12: Ecological information

12.1 Toxicity

| | |
|------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Ecology - general: | The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute): | Not classified |
| Hazardous to the aquatic environment, long-term (chronic): | Not classified |
| Not rapidly degradable. | |

ammonia ...% (1336-21-6)

| | |
|----------------|--------------------------------|
| EC50 Daphnia 1 | > 0.66 mg/l Source: HSDB, ECHA |
|----------------|--------------------------------|

2-butoxyethanol (111-76-2)

| | |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| LC50 fish 1 | 1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmogairdneri) |
| EC50 Daphnia 1 | ≈ 1800 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (1) | 911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h algae (2) | 1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| NOEC (chronic) | 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC chronic fish | > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d' |

DEEP CLEAN SAFETY DATA SHEET

| Alcohols, C9-11 ethoxylated, < 2.5 EO (68439-46-3) | |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| LC50 fish l | 5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmogairdneri) |
| EC50 Daphnia l | 2.5 mg/l Test organisms (species): Daphnia magna |
| EC50 96h algae (l) | 1.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |

| Tetrapotassium pyrophosphate (7320-34-5) | |
|-------------------------------------------------|------------------------------------------------------------------------------------------------------|
| LC50 fish l | > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmogairdneri) |
| EC50 Daphnia l | > 100 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (l) | > 100 mg/l Test organisms (species): Desmodemus subspicatus (previous name: Scenedesmus subspicatus) |

12.2 Persistence and degradability

No additional information available.

12.3 Bioaccumulative potential

| ammonia% (1336-21-6) | |
|-------------------------------------------------|------------------------|
| Partition coefficient n-octanol/water (Log Pow) | -2.66 Source: EPISUITE |

| 2-butoxyethanol (111-76-2) | |
|-------------------------------------------------|-------------------|
| Partition coefficient n-octanol/water (Log Pow) | 0.81 Source: ECHA |

| Tetrapotassium pyrophosphate (7320-34-5) | |
|-------------------------------------------------|--------|
| Partition coefficient n-octanol/water (Log Pow) | -10.45 |

12.4 Mobility in soil

No additional information available.

12.5 Results of PBT and vPvB assessment

No additional information available.

12.6 Other adverse effects

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods:

Dispose of contents/container in accordance with licensed collector's sorting instructions.

DEEP CLEAN SAFETY DATA SHEET

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|-----------------------------------------|---------------|---------------|---------------|---------------|
| 14.1. UN number | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6 Special precautions for user

| | |
|----------------------------|---------------|
| Overland transport: | Not regulated |
| Transport by sea: | Not regulated |
| Air transport: | Not regulated |
| Inland waterway transport: | Not regulated |
| Rail transport: | Not regulated |

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

15.1.2 National regulations

No additional information available.

15.2 Chemical safety assessment

No chemical safety assessment has been carried out

DEEP CLEAN SAFETY DATA SHEET

SECTION 16: Other information

Indication of changes:

New format.

| Abbreviations and acronyms: | |
|------------------------------------|---------------------------------------------------------------------------------------------------|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BLV | Biological limit value |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC-No. | European Community number |
| EN | European Standard |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| vPvB | Very Persistent and Very Bioaccumulative |
| WGK | Water Hazard Class |

DEEP CLEAN SAFETY DATA SHEET

| Full text of H- and EUH-statements: | |
|--------------------------------------------|--------------------------------------------------------------------------------------------|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |

The classification complies with: ATP 12 SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.